

Exhibit 76



Process Blanks for The Analysis of Johnson & Johnson's Historical Baby Powder & Shower to Shower Products from the 1960's to the 1990's for Amphibole Asbestos

William E. Longo, Ph.D

Mark W. Rigler, Ph.D

Materials Analytical Services, LLC

**3945 Lakefield Court
Suwanee, GA 30024**

November 14, 2018

| TEM Bulk Talc Structure Count Sheet | | | | | | |
|-------------------------------------|-------------------------------|--------|-------------------------------|--------|-------------------------|------------|
| Project/ Sample No. | M68503-000 | | Grid Box # | 8631 | No. of Grids Counted | 2 |
| Analyst: | Elyse Stempinski | | | Length | Width | G. O. Area |
| Date of Analysis | 10/19/2018 | | G. O. in microns = | 105 | 105 | 11025 |
| Initial Weight(g) | 0 | | | 105 | 105 | 11025 |
| Analysis Type | Post Separation Talc Analysis | | Grid Acceptance | Yes | Average | 11025 |
| Scope No. | Accelerating Voltage | 100 KV | Loading% | 1% | G.O.s Counted | 100 |
| 3 | Screen Magnification | 20 KX | Area Examined mm ² | | | 1.103 |

| Str. # | Grid Opening | Structure | Asbestos Type | Length | Width | Ratio | SAED | EDS |
|--------|--------------|-----------|------------------|--------|-------|-------|------|-----|
| NSD | A5-A1 | | | | | | | |
| NSD | A2 | | | | | | | |
| NSD | A3 | | | | | | | |
| NSD | A4 | | | | | | | |
| NSD | A7 | | | | | | | |
| NSD | A8 | | | | | | | |
| NSD | A9 | | | | | | | |
| NSD | A10 | | | | | | | |
| NSD | B3 | | | | | | | |
| NSD | B6 | | | | | | | |
| NSD | B7 | | | | | | | |
| NSD | B8 | | | | | | | |
| NSD | B9 | | | | | | | |
| NSD | B10 | | | | | | | |
| NSD | C1 | | | | | | | |
| NSD | C2 | | | | | | | |
| NSD | C5 | | | | | | | |
| NSD | C7 | | | | | | | |
| NSD | C8 | | | | | | | |
| NSD | C9 | | | | | | | |
| NSD | C10 | | | | | | | |
| NSD | D1 | | | | | | | |
| NSD | D2 | | | | | | | |
| NSD | D3 | | | | | | | |
| NSD | D4 | | | | | | | |
| NSD | D5 | | | | | | | |
| NSD | D7 | | | | | | | |
| NSD | D8 | | | | | | | |
| NSD | D9 | | | | | | | |
| NSD | D10 | | | | | | | |
| NSD | E1 | | | | | | | |
| NSD | E2 | | | | | | | |
| NSD | E3 | | | | | | | |
| NSD | E4 | | | | | | | |
| NSD | E5 | | | | | | | |
| NSD | E6 | | | | | | | |
| NSD | E7 | | | | | | | |
| NSD | E9 | | | | | | | |
| NSD | E10 | | | | | | | |
| NSD | F2 | | | | | | | |
| NSD | F3 | | | | | | | |
| NSD | F4 | | | | | | | |
| NSD | F5 | | | | | | | |
| NSD | F6 | | | | | | | |
| NSD | F7 | | | | | | | |
| NSD | F8 | | | | | | | |
| NSD | G3 | | | | | | | |
| NSD | G4 | | | | | | | |
| NSD | G5 | | | | | | | |
| NSD | G6 | | | | | | | |

| TEM Bulk Talc Structure Count Sheet | | | | | | |
|-------------------------------------|-------------------------------|--------|-------------------------------|--------|-------------------------|------------|
| Project/ Sample No. | M68503-000 | | Grid Box # | 8631 | No. of Grids Counted | 2 |
| Analyst: | Elyse Stempinski | | | Length | Width | G. O. Area |
| Date of Analysis | 10/19/2018 | | G. O. in microns = | 105 | 105 | 11025 |
| Initial Weight(g) | 0 | | | 105 | 105 | 11025 |
| Analysis Type | Post Separation Talc Analysis | | Grid Acceptance | Yes | Average | 11025 |
| Scope No. | Accelerating Voltage | 100 KV | Loading% | 1% | G.O.s Counted | 100 |
| 3 | Screen Magnification | 20 KX | Area Examined mm ² | | | 1.103 |

| Str. # | Grid Opening | Structure | Asbestos Type | Length | Width | Ratio | SAED | EDS |
|--------|--------------|-----------|------------------|--------|-------|-------|------|-----|
| NSD | B5-B1 | | | | | | | |
| NSD | B2 | | | | | | | |
| NSD | B3 | | | | | | | |
| NSD | B4 | | | | | | | |
| NSD | B5 | | | | | | | |
| NSD | B6 | | | | | | | |
| NSD | B7 | | | | | | | |
| NSD | B8 | | | | | | | |
| NSD | B9 | | | | | | | |
| NSD | B10 | | | | | | | |
| NSD | C1 | | | | | | | |
| NSD | C2 | | | | | | | |
| NSD | C3 | | | | | | | |
| NSD | C4 | | | | | | | |
| NSD | C5 | | | | | | | |
| NSD | C6 | | | | | | | |
| NSD | C7 | | | | | | | |
| NSD | C8 | | | | | | | |
| NSD | C9 | | | | | | | |
| NSD | E1 | | | | | | | |
| NSD | E2 | | | | | | | |
| NSD | E3 | | | | | | | |
| NSD | E4 | | | | | | | |
| NSD | E5 | | | | | | | |
| NSD | E6 | | | | | | | |
| NSD | E7 | | | | | | | |
| NSD | E8 | | | | | | | |
| NSD | F1 | | | | | | | |
| NSD | F2 | | | | | | | |
| NSD | F3 | | | | | | | |
| NSD | F4 | | | | | | | |
| NSD | F5 | | | | | | | |
| NSD | F6 | | | | | | | |
| NSD | F7 | | | | | | | |
| NSD | F8 | | | | | | | |
| NSD | F9 | | | | | | | |
| NSD | F10 | | | | | | | |
| NSD | G1 | | | | | | | |
| NSD | G2 | | | | | | | |
| NSD | G3 | | | | | | | |
| NSD | G4 | | | | | | | |
| NSD | G5 | | | | | | | |
| NSD | G7 | | | | | | | |
| NSD | G8 | | | | | | | |
| NSD | G9 | | | | | | | |
| NSD | H1 | | | | | | | |
| NSD | H2 | | | | | | | |
| NSD | H3 | | | | | | | |
| NSD | J8 | | | | | | | |
| NSD | J9 | | | | | | | |

| TEM Bulk Talc Structure Count Sheet | | | | | | |
|-------------------------------------|-------------------------------|--------|--------------------|--------|-------------------------|------------|
| Project/ Sample No. | M68503-000 | | Grid Box # | 8631 | No. of Grids Counted | 2 |
| Analyst: | Elyse Stempinski | | | Length | Width | G. O. Area |
| Date of Analysis | 10/19/2018 | | G. O. in microns = | 105 | 105 | 11025 |
| Initial Weight(g) | 0 | | | 105 | 105 | 11025 |
| Analysis Type | Post Separation Talc Analysis | | Grid Acceptance | Yes | Average | 11025 |
| Scope No. | Accelerating Voltage | 100 KV | Loading% | 1% | G.O.s Counted | 100 |
| 3 | Screen Magnification | 20 KX | Area Examined mm² | | | 1.103 |

| Str. # | Grid Opening | Structure | Asbestos Type | Length | Width | Ratio | SAED | EDS |
|--------|--------------|-----------|------------------|--------|-------|-------|------|-----|
|--------|--------------|-----------|------------------|--------|-------|-------|------|-----|

| | |
|--|-------------------------------------|
| Org. Sample Wt. | Sample Wt. Post HL Separation |
| 0.00000 | 0.00000 g |
| Percent of Orig. Post Separation | #DIV/0! (%) |

| | |
|-------------------------------------|-----------------------|
| Wt. Of Sample Analyzed | 0.00000000 g |
| Filter size | 201.1 mm ² |
| Number of Structures Counted | 0 Str. |
| Structures per Gram of Sample | #DIV/0! Str./g |

| | |
|---------------------------|----------------|
| Detection Limit | #DIV/0! Str./g |
| Analytical Sensitivity | #DIV/0! Str./g |

| TEM Bulk Talc Structure Count Sheet | | | | | | |
|-------------------------------------|-------------------------------|--------|-------------------------------|--------|-------------------------|-----------|
| Project/ Sample No. | M68503-000 | | Grid Box # | 8631 | No. of Grids Counted | 2 |
| Analyst: | Elyse Stempinski | | | Length | Width | G.O. Area |
| Date of Analysis | 10/19/2018 | | G. O. in microns = | 105 | 105 | 105 |
| Initial Weight(g) | 0.00000 | | | 105 | 105 | 105 |
| Analysis Type | Post Separation Talc Analysis | | Grid Acceptance | Yes | Average | 11025 |
| Scope No. | Accelerating Voltage | 100 KV | Loading% | 1% | G.O.s Counted | 100 |
| 3 | Screen Magnification | 20 KX | Area Examined mm ² | | | 1.103 |

| Str. # | Grid Opening | Str./Asb. Type | Length | Width | Ratio | SAED | EDS |
|--------|--------------|----------------|--------|-------|-------|--------------------------|-----|
| NSD | A5-A1 | | | | | No Fibrous Talc Observed | |
| | | | | | | | |

| TEM Bulk Talc Structure Count Sheet | | | | | | |
|-------------------------------------|-------------------------------|--------|--------------------|--------|-------------------------|------------|
| Project/ Sample No. | M68503-000 | | Grid Box # | 8623 | No. of Grids Counted | 2 |
| Analyst: | Jose Carrillo | | | Length | Width | G. O. Area |
| Date of Analysis | 8/3/2018 | | G. O. in microns = | 105 | 105 | 11025 |
| Initial Weight(g) | 0 | | | 105 | 105 | 11025 |
| Analysis Type | Post Separation Talc Analysis | | Grid Acceptance | Yes | Average | 11025 |
| Scope No. | Accelerating Voltage | 100 KV | Loading% | 1% | G.O.s Counted | 100 |
| 1 | Screen Magnification | 20 KX | Area Examined mm² | | | 1.103 |

| Str. # | Grid Opening | Structure | Asbestos Type | Length | Width | Ratio | SAED | EDS |
|--------|--------------|-----------|------------------|--------|-------|-------|------|-----|
| NSD | A10-A1 | | | | | | | |
| NSD | A2 | | | | | | | |
| NSD | A3 | | | | | | | |
| NSD | A4 | | | | | | | |
| NSD | A5 | | | | | | | |
| NSD | A6 | | | | | | | |
| NSD | A7 | | | | | | | |
| NSD | A8 | | | | | | | |
| NSD | A9 | | | | | | | |
| NSD | A10 | | | | | | | |
| NSD | B1 | | | | | | | |
| NSD | B2 | | | | | | | |
| NSD | B3 | | | | | | | |
| NSD | B4 | | | | | | | |
| NSD | B5 | | | | | | | |
| NSD | B6 | | | | | | | |
| NSD | B7 | | | | | | | |
| NSD | B8 | | | | | | | |
| NSD | B9 | | | | | | | |
| NSD | B10 | | | | | | | |
| NSD | C1 | | | | | | | |
| NSD | C2 | | | | | | | |
| NSD | C3 | | | | | | | |
| NSD | C4 | | | | | | | |
| NSD | C5 | | | | | | | |
| NSD | C6 | | | | | | | |
| NSD | C7 | | | | | | | |
| NSD | C8 | | | | | | | |
| NSD | C9 | | | | | | | |
| NSD | C10 | | | | | | | |
| NSD | D1 | | | | | | | |
| NSD | D2 | | | | | | | |
| NSD | D3 | | | | | | | |
| NSD | D4 | | | | | | | |
| NSD | D5 | | | | | | | |
| NSD | D6 | | | | | | | |
| NSD | D7 | | | | | | | |
| NSD | D8 | | | | | | | |
| NSD | D9 | | | | | | | |
| NSD | D10 | | | | | | | |
| NSD | E1 | | | | | | | |
| NSD | E2 | | | | | | | |
| NSD | E3 | | | | | | | |
| NSD | E4 | | | | | | | |
| NSD | E5 | | | | | | | |
| NSD | E6 | | | | | | | |
| NSD | E7 | | | | | | | |
| NSD | E8 | | | | | | | |
| NSD | E9 | | | | | | | |
| NSD | E10 | | | | | | | |

| TEM Bulk Talc Structure Count Sheet | | | | | | |
|-------------------------------------|-------------------------------|--------|--------------------|--------|-------------------------|------------|
| Project/ Sample No. | M68503-000 | | Grid Box # | 8623 | No. of Grids Counted | 2 |
| Analyst: | Jose Carrillo | | | Length | Width | G. O. Area |
| Date of Analysis | 8/3/2018 | | G. O. in microns = | 105 | 105 | 11025 |
| Initial Weight(g) | 0 | | | 105 | 105 | 11025 |
| Analysis Type | Post Separation Talc Analysis | | Grid Acceptance | Yes | Average | 11025 |
| Scope No. | Accelerating Voltage | 100 KV | Loading% | 1% | G.O.s Counted | 100 |
| 1 | Screen Magnification | 20 KX | Area Examined mm² | | | 1.103 |

| Str. # | Grid Opening | Structure | Asbestos Type | Length | Width | Ratio | SAED | EDS |
|--------|--------------|-----------|------------------|--------|-------|-------|------|-----|
| NSD | B10-A1 | | | | | | | |
| NSD | A2 | | | | | | | |
| NSD | A3 | | | | | | | |
| NSD | A4 | | | | | | | |
| NSD | A5 | | | | | | | |
| NSD | A6 | | | | | | | |
| NSD | A7 | | | | | | | |
| NSD | A8 | | | | | | | |
| NSD | A9 | | | | | | | |
| NSD | A10 | | | | | | | |
| NSD | B1 | | | | | | | |
| NSD | B2 | | | | | | | |
| NSD | B3 | | | | | | | |
| NSD | B4 | | | | | | | |
| NSD | B5 | | | | | | | |
| NSD | B6 | | | | | | | |
| NSD | B7 | | | | | | | |
| NSD | B8 | | | | | | | |
| NSD | B9 | | | | | | | |
| NSD | B10 | | | | | | | |
| NSD | C1 | | | | | | | |
| NSD | C2 | | | | | | | |
| NSD | C3 | | | | | | | |
| NSD | C4 | | | | | | | |
| NSD | C5 | | | | | | | |
| NSD | C6 | | | | | | | |
| NSD | C7 | | | | | | | |
| NSD | C8 | | | | | | | |
| NSD | C9 | | | | | | | |
| NSD | C10 | | | | | | | |
| NSD | D1 | | | | | | | |
| NSD | D2 | | | | | | | |
| NSD | D3 | | | | | | | |
| NSD | D4 | | | | | | | |
| NSD | D5 | | | | | | | |
| NSD | D6 | | | | | | | |
| NSD | D7 | | | | | | | |
| NSD | D8 | | | | | | | |
| NSD | D9 | | | | | | | |
| NSD | D10 | | | | | | | |
| NSD | E1 | | | | | | | |
| NSD | E2 | | | | | | | |
| NSD | E3 | | | | | | | |
| NSD | E4 | | | | | | | |
| NSD | E5 | | | | | | | |
| NSD | E6 | | | | | | | |
| NSD | E7 | | | | | | | |
| NSD | E8 | | | | | | | |
| NSD | E9 | | | | | | | |
| NSD | E10 | | | | | | | |

| TEM Bulk Talc Structure Count Sheet | | | | | | |
|-------------------------------------|-------------------------------|--------|-------------------------------|--------|-------------------------|------------|
| Project/ Sample No. | M68503-000 | | Grid Box # | 8623 | No. of Grids Counted | 2 |
| Analyst: | Jose Carrillo | | | Length | Width | G. O. Area |
| Date of Analysis | 8/3/2018 | | G. O. in microns = | 105 | 105 | 11025 |
| Initial Weight(g) | 0 | | | 105 | 105 | 11025 |
| Analysis Type | Post Separation Talc Analysis | | Grid Acceptance | Yes | Average | 11025 |
| Scope No. | Accelerating Voltage | 100 KV | Loading% | 1% | G.O.s Counted | 100 |
| 1 | Screen Magnification | 20 KX | Area Examined mm ² | | | 1.103 |

| Str. # | Grid Opening | Structure | Asbestos Type | Length | Width | Ratio | SAED | EDS |
|--------|--------------|-----------|------------------|--------|-------|-------|------|-----|
|--------|--------------|-----------|------------------|--------|-------|-------|------|-----|

| | |
|--|-------------------------------------|
| Org. Sample Wt. | Sample Wt. Post HL Separation |
| 0.00000 | 0.00000 g |
| Percent of Orig. Post Separation | #DIV/0! (%) |

| | |
|-------------------------------------|-----------------------|
| Wt. Of Sample Analyzed | 0.00000000 g |
| Filter size | 201.1 mm ² |
| Number of Structures Counted | 0 Str. |
| Structures per Gram of Sample | #DIV/0! Str./g |

| | |
|---------------------------|----------------|
| Detection Limit | #DIV/0! Str./g |
| Analytical Sensitivity | #DIV/0! Str./g |

| TEM Bulk Talc Structure Count Sheet | | | | | | |
|-------------------------------------|-------------------------------|--------|-----------------------|--------|-------------------------|-----------|
| Project/ Sample No. | M68503-000 | | Grid Box # | 8623 | No. of Grids Counted | 2 |
| Analyst: | Jose Carrillo | | | Length | Width | G.O. Area |
| Date of Analysis | 8/3/2018 | | G. O. in microns = | 105 | 105 | 105 |
| Initial Weight(g) | 0.00000 | | | 105 | 105 | 105 |
| Analysis Type | Post Separation Talc Analysis | | Grid Acceptance | Yes | Average | 11025 |
| Scope No. | Accelerating Voltage | 100 KV | Loading% | 1% | G.O.s Counted | 100 |
| 1 | Screen Magnification | 20 KX | Area Examined mm² | | | 1.103 |

| Str. # | Grid Opening | Str./Asb. Type | Length | Width | Ratio | SAED | EDS |
|--------|--------------|----------------|--------|-------|-------|--------------------------|-----|
| NSD | A10-A5 | | | | | No Fibrous Talc Observed | |
| | | | | | | | |

| TEM Bulk Talc Structure Count Sheet | | | | | | |
|-------------------------------------|-------------------------------|--------|-------------------------------|--------|-------------------------|------------|
| Project/ Sample No. | M68503-000 | | Grid Box # | 8637 | No. of Grids Counted | 2 |
| Analyst: | Jose Carrillo | | | Length | Width | G. O. Area |
| Date of Analysis | 10/17/2018 | | G. O. in microns = | 105 | 105 | 11025 |
| Initial Weight(g) | 0 | | | 105 | 105 | 11025 |
| Analysis Type | Post Separation Talc Analysis | | Grid Acceptance | Yes | Average | 11025 |
| Scope No. | Accelerating Voltage | 100 KV | Loading% | 1% | G.O.s Counted | 100 |
| 1 | Screen Magnification | 20 KX | Area Examined mm ² | | | 1.103 |

| Str. # | Grid Opening | Structure | Asbestos Type | Length | Width | Ratio | SAED | EDS |
|--------|--------------|-----------|------------------|--------|-------|-------|------|-----|
| NSD | A7-A1 | | | | | | | |
| NSD | A2 | | | | | | | |
| NSD | A3 | | | | | | | |
| NSD | A4 | | | | | | | |
| NSD | A5 | | | | | | | |
| NSD | A6 | | | | | | | |
| NSD | A7 | | | | | | | |
| NSD | A8 | | | | | | | |
| NSD | A9 | | | | | | | |
| NSD | A10 | | | | | | | |
| NSD | B1 | | | | | | | |
| NSD | B2 | | | | | | | |
| NSD | B3 | | | | | | | |
| NSD | B4 | | | | | | | |
| NSD | B5 | | | | | | | |
| NSD | B6 | | | | | | | |
| NSD | B7 | | | | | | | |
| NSD | B8 | | | | | | | |
| NSD | B9 | | | | | | | |
| NSD | B10 | | | | | | | |
| NSD | C1 | | | | | | | |
| NSD | C2 | | | | | | | |
| NSD | C3 | | | | | | | |
| NSD | C4 | | | | | | | |
| NSD | C5 | | | | | | | |
| NSD | C6 | | | | | | | |
| NSD | C7 | | | | | | | |
| NSD | C8 | | | | | | | |
| NSD | C9 | | | | | | | |
| NSD | C10 | | | | | | | |
| NSD | D1 | | | | | | | |
| NSD | D2 | | | | | | | |
| NSD | D3 | | | | | | | |
| NSD | D4 | | | | | | | |
| NSD | D5 | | | | | | | |
| NSD | D6 | | | | | | | |
| NSD | D7 | | | | | | | |
| NSD | D8 | | | | | | | |
| NSD | D9 | | | | | | | |
| NSD | D10 | | | | | | | |
| NSD | E1 | | | | | | | |
| NSD | E2 | | | | | | | |
| NSD | E3 | | | | | | | |
| NSD | E4 | | | | | | | |
| NSD | E5 | | | | | | | |
| NSD | E6 | | | | | | | |
| NSD | E7 | | | | | | | |
| NSD | E8 | | | | | | | |
| NSD | E9 | | | | | | | |
| NSD | E10 | | | | | | | |

| TEM Bulk Talc Structure Count Sheet | | | | | | |
|-------------------------------------|-------------------------------|--------|-------------------------------|--------|-------------------------|------------|
| Project/ Sample No. | M68503-000 | | Grid Box # | 8637 | No. of Grids Counted | 2 |
| Analyst: | Jose Carrillo | | | Length | Width | G. O. Area |
| Date of Analysis | 10/17/2018 | | G. O. in microns = | 105 | 105 | 11025 |
| Initial Weight(g) | 0 | | | 105 | 105 | 11025 |
| Analysis Type | Post Separation Talc Analysis | | Grid Acceptance | Yes | Average | 11025 |
| Scope No. | Accelerating Voltage | 100 KV | Loading% | 1% | G.O.s Counted | 100 |
| 1 | Screen Magnification | 20 KX | Area Examined mm ² | | | 1.103 |

| Str. # | Grid Opening | Structure | Asbestos Type | Length | Width | Ratio | SAED | EDS |
|--------|--------------|-----------|------------------|--------|-------|-------|------|-----|
| NSD | A6-A1 | | | | | | | |
| NSD | A2 | | | | | | | |
| NSD | A3 | | | | | | | |
| NSD | A4 | | | | | | | |
| NSD | A5 | | | | | | | |
| NSD | A6 | | | | | | | |
| NSD | A7 | | | | | | | |
| NSD | A8 | | | | | | | |
| NSD | A9 | | | | | | | |
| NSD | A10 | | | | | | | |
| NSD | B1 | | | | | | | |
| NSD | B2 | | | | | | | |
| NSD | B3 | | | | | | | |
| NSD | B4 | | | | | | | |
| NSD | B5 | | | | | | | |
| NSD | B6 | | | | | | | |
| NSD | B7 | | | | | | | |
| NSD | B8 | | | | | | | |
| NSD | B9 | | | | | | | |
| NSD | B10 | | | | | | | |
| NSD | C1 | | | | | | | |
| NSD | C2 | | | | | | | |
| NSD | C3 | | | | | | | |
| NSD | C4 | | | | | | | |
| NSD | C5 | | | | | | | |
| NSD | C6 | | | | | | | |
| NSD | C7 | | | | | | | |
| NSD | C8 | | | | | | | |
| NSD | C9 | | | | | | | |
| NSD | C10 | | | | | | | |
| NSD | D1 | | | | | | | |
| NSD | D2 | | | | | | | |
| NSD | D3 | | | | | | | |
| NSD | D4 | | | | | | | |
| NSD | D5 | | | | | | | |
| NSD | D6 | | | | | | | |
| NSD | D7 | | | | | | | |
| NSD | D8 | | | | | | | |
| NSD | D9 | | | | | | | |
| NSD | D10 | | | | | | | |
| NSD | E1 | | | | | | | |
| NSD | E2 | | | | | | | |
| NSD | E3 | | | | | | | |
| NSD | E4 | | | | | | | |
| NSD | E5 | | | | | | | |
| NSD | E6 | | | | | | | |
| NSD | E7 | | | | | | | |
| NSD | E8 | | | | | | | |
| NSD | E9 | | | | | | | |
| NSD | E10 | | | | | | | |

| TEM Bulk Talc Structure Count Sheet | | | | | | |
|-------------------------------------|-------------------------------|--------|--------------------|--------|-------------------------|------------|
| Project/ Sample No. | M68503-000 | | Grid Box # | 8637 | No. of Grids Counted | 2 |
| Analyst: | Jose Carrillo | | | Length | Width | G. O. Area |
| Date of Analysis | 10/17/2018 | | G. O. in microns = | 105 | 105 | 11025 |
| Initial Weight(g) | 0 | | | 105 | 105 | 11025 |
| Analysis Type | Post Separation Talc Analysis | | Grid Acceptance | Yes | Average | 11025 |
| Scope No. | Accelerating Voltage | 100 KV | Loading% | 1% | G.O.s Counted | 100 |
| 1 | Screen Magnification | 20 KX | Area Examined mm² | | | 1.103 |

| Str. # | Grid Opening | Structure | Asbestos Type | Length | Width | Ratio | SAED | EDS |
|--------|--------------|-----------|------------------|--------|-------|-------|------|-----|
|--------|--------------|-----------|------------------|--------|-------|-------|------|-----|

| | |
|--|-------------------------------------|
| Org. Sample Wt. | Sample Wt. Post HL Separation |
| 0.00000 | 0.00000 g |
| Percent of Orig. Post Separation | #DIV/0! (%) |

| | |
|-------------------------------------|-----------------------|
| Wt. Of Sample Analyzed | 0.00000000 g |
| Filter size | 201.1 mm ² |
| Number of Structures Counted | 0 Str. |
| Structures per Gram of Sample | #DIV/0! Str./g |

| | |
|---------------------------|----------------|
| Detection Limit | #DIV/0! Str./g |
| Analytical Sensitivity | #DIV/0! Str./g |

| TEM Bulk Talc Structure Count Sheet | | | | | | |
|-------------------------------------|-------------------------------|--------|-------------------------------|--------|-------------------------|-----------|
| Project/ Sample No. | M68503-000 | | Grid Box # | 8637 | No. of Grids Counted | 2 |
| Analyst: | Jose Carrillo | | | Length | Width | G.O. Area |
| Date of Analysis | 10/17/2018 | | G. O. in microns = | 105 | 105 | 105 |
| Initial Weight(g) | 0.00000 | | | 105 | 105 | 105 |
| Analysis Type | Post Separation Talc Analysis | | Grid Acceptance | Yes | Average | 11025 |
| Scope No. | Accelerating Voltage | 100 KV | Loading% | 1% | G.O.s Counted | 100 |
| 1 | Screen Magnification | 20 KX | Area Examined mm ² | | | 1.103 |

| Str. # | Grid Opening | Str./Asb. Type | Length | Width | Ratio | SAED | EDS |
|--------|--------------|----------------|--------|-------|-------|--------------------------|-----|
| NSD | A7-A8 | | | | | No Fibrous Talc Observed | |
| | | | | | | | |

| TEM Bulk Talc Structure Count Sheet | | | | | | |
|-------------------------------------|-------------------------------|--------|--------------------|--------|-------------------------|------------|
| Project/ Sample No. | M68503-000 | | Grid Box # | 8638 | No. of Grids Counted | 2 |
| Analyst: | Anthony Keeton | | | Length | Width | G. O. Area |
| Date of Analysis | 10/24/2018 | | G. O. in microns = | 105 | 105 | 11025 |
| Initial Weight(g) | NA | | | 105 | 105 | 11025 |
| Analysis Type | Post Separation Talc Analysis | | Grid Acceptance | Yes | Average | 11025 |
| Scope No. | Accelerating Voltage | 100 KV | Loading% | 0.5% | G.O.s Counted | 100 |
| 2 | Screen Magnification | 20 KX | Area Examined mm² | | | 1.103 |

| Str. # | Grid Opening | Structure | Asbestos Type | Length | Width | Ratio | SAED | EDS |
|--------|--------------|-----------|------------------|--------|-------|-------|------|-----|
| NSD | D6-A1 | | | | | | | |
| NSD | A2 | | | | | | | |
| NSD | A3 | | | | | | | |
| NSD | A4 | | | | | | | |
| NSD | A5 | | | | | | | |
| NSD | A6 | | | | | | | |
| NSD | A7 | | | | | | | |
| NSD | A8 | | | | | | | |
| NSD | A9 | | | | | | | |
| NSD | A10 | | | | | | | |
| NSD | B1 | | | | | | | |
| NSD | B2 | | | | | | | |
| NSD | B3 | | | | | | | |
| NSD | B4 | | | | | | | |
| NSD | B5 | | | | | | | |
| NSD | B6 | | | | | | | |
| NSD | B7 | | | | | | | |
| NSD | B8 | | | | | | | |
| NSD | B9 | | | | | | | |
| NSD | B10 | | | | | | | |
| NSD | C1 | | | | | | | |
| NSD | C2 | | | | | | | |
| NSD | C3 | | | | | | | |
| NSD | C4 | | | | | | | |
| NSD | C5 | | | | | | | |
| NSD | C6 | | | | | | | |
| NSD | C7 | | | | | | | |
| NSD | C8 | | | | | | | |
| NSD | C9 | | | | | | | |
| NSD | C10 | | | | | | | |
| NSD | D1 | | | | | | | |
| NSD | D2 | | | | | | | |
| NSD | D3 | | | | | | | |
| NSD | D4 | | | | | | | |
| NSD | D5 | | | | | | | |
| NSD | D6 | | | | | | | |
| NSD | D7 | | | | | | | |
| NSD | D8 | | | | | | | |
| NSD | D9 | | | | | | | |
| NSD | D10 | | | | | | | |
| NSD | E1 | | | | | | | |
| NSD | E2 | | | | | | | |
| NSD | E3 | | | | | | | |
| NSD | E4 | | | | | | | |
| NSD | E5 | | | | | | | |
| NSD | E6 | | | | | | | |
| NSD | E7 | | | | | | | |
| NSD | E8 | | | | | | | |
| NSD | E9 | | | | | | | |
| NSD | E10 | | | | | | | |

| TEM Bulk Talc Structure Count Sheet | | | | | | |
|-------------------------------------|-------------------------------|--------|-------------------------------|--------|-------------------------|------------|
| Project/ Sample No. | M68503-000 | | Grid Box # | 8638 | No. of Grids Counted | 2 |
| Analyst: | Anthony Keeton | | | Length | Width | G. O. Area |
| Date of Analysis | 10/24/2018 | | G. O. in microns = | 105 | 105 | 11025 |
| Initial Weight(g) | NA | | | 105 | 105 | 11025 |
| Analysis Type | Post Separation Talc Analysis | | Grid Acceptance | Yes | Average | 11025 |
| Scope No. | Accelerating Voltage | 100 KV | Loading% | 0.5% | G.O.s Counted | 100 |
| 2 | Screen Magnification | 20 KX | Area Examined mm ² | | | 1.103 |

| Str. # | Grid Opening | Structure | Asbestos Type | Length | Width | Ratio | SAED | EDS |
|--------|--------------|-----------|------------------|--------|-------|-------|------|-----|
| NSD | D7-C1 | | | | | | | |
| NSD | C2 | | | | | | | |
| NSD | C3 | | | | | | | |
| NSD | C4 | | | | | | | |
| NSD | C5 | | | | | | | |
| NSD | C6 | | | | | | | |
| NSD | C7 | | | | | | | |
| NSD | C8 | | | | | | | |
| NSD | C9 | | | | | | | |
| NSD | C10 | | | | | | | |
| NSD | D1 | | | | | | | |
| NSD | D2 | | | | | | | |
| NSD | D3 | | | | | | | |
| NSD | D4 | | | | | | | |
| NSD | D5 | | | | | | | |
| NSD | D6 | | | | | | | |
| NSD | D7 | | | | | | | |
| NSD | D8 | | | | | | | |
| NSD | D9 | | | | | | | |
| NSD | D10 | | | | | | | |
| NSD | E1 | | | | | | | |
| NSD | E2 | | | | | | | |
| NSD | E3 | | | | | | | |
| NSD | E4 | | | | | | | |
| NSD | E5 | | | | | | | |
| NSD | E6 | | | | | | | |
| NSD | E7 | | | | | | | |
| NSD | E8 | | | | | | | |
| NSD | E9 | | | | | | | |
| NSD | E10 | | | | | | | |
| NSD | H1 | | | | | | | |
| NSD | H2 | | | | | | | |
| NSD | H3 | | | | | | | |
| NSD | H4 | | | | | | | |
| NSD | H5 | | | | | | | |
| NSD | H6 | | | | | | | |
| NSD | H7 | | | | | | | |
| NSD | H8 | | | | | | | |
| NSD | H9 | | | | | | | |
| NSD | H10 | | | | | | | |
| NSD | I1 | | | | | | | |
| NSD | I2 | | | | | | | |
| NSD | I3 | | | | | | | |
| NSD | I4 | | | | | | | |
| NSD | I5 | | | | | | | |
| NSD | I6 | | | | | | | |
| NSD | I7 | | | | | | | |
| NSD | I8 | | | | | | | |
| NSD | I9 | | | | | | | |
| NSD | I10 | | | | | | | |

| TEM Bulk Talc Structure Count Sheet | | | | | | |
|-------------------------------------|-------------------------------|--------|--------------------|--------|-------------------------|------------|
| Project/ Sample No. | M68503-000 | | Grid Box # | 8638 | No. of Grids Counted | 2 |
| Analyst: | Anthony Keeton | | | Length | Width | G. O. Area |
| Date of Analysis | 10/24/2018 | | G. O. in microns = | 105 | 105 | 11025 |
| Initial Weight(g) | NA | | | 105 | 105 | 11025 |
| Analysis Type | Post Separation Talc Analysis | | Grid Acceptance | Yes | Average | 11025 |
| Scope No. | Accelerating Voltage | 100 KV | Loading% | 0.5% | G.O.s Counted | 100 |
| 2 | Screen Magnification | 20 KX | Area Examined mm² | | | 1.103 |

| Str. # | Grid Opening | Structure | Asbestos Type | Length | Width | Ratio | SAED | EDS |
|--------|--------------|-----------|------------------|--------|-------|-------|------|-----|
|--------|--------------|-----------|------------------|--------|-------|-------|------|-----|

| | |
|--|-------------------------------------|
| Org. Sample Wt. | Sample Wt. Post HL Separation |
| NA | NA |
| Percent of Orig. Post Separation | #VALUE! (%) |

| | |
|-------------------------------------|-----------------------|
| Wt. Of Sample Analyzed | #VALUE! g |
| Filter size | 201.1 mm ² |
| Number of Structures Counted | 0 Str. |
| Structures per Gram of Sample | #VALUE! Str./g |

| | |
|---------------------------|----------------|
| Detection Limit | #VALUE! Str./g |
| Analytical Sensitivity | #VALUE! Str./g |

| TEM Bulk Talc Structure Count Sheet | | | | | | |
|-------------------------------------|-------------------------------|--------|-------------------------------|--------|-------------------------|-----------|
| Project/ Sample No. | M68503-000 | | Grid Box # | 8638 | No. of Grids Counted | 2 |
| Analyst: | Anthony Keeton | | | Length | Width | G.O. Area |
| Date of Analysis | 10/24/2018 | | G. O. in microns = | 105 | 105 | 105 |
| Initial Weight(g) | NA | | | 105 | 105 | 105 |
| Analysis Type | Post Separation Talc Analysis | | Grid Acceptance | Yes | Average | 11025 |
| Scope No. | Accelerating Voltage | 100 KV | Loading% | 1% | G.O.s Counted | 100 |
| 2 | Screen Magnification | 20 KX | Area Examined mm ² | | | 1.103 |

| Str. # | Grid Opening | Str./Asb. Type | Length | Width | Ratio | SAED | EDS |
|--------|--------------|----------------|--------|-------|-------|--------------------------|-----|
| NSD | D6-A1 | | | | | No Fibrous Talc Observed | |

| TEM Bulk Talc Structure Count Sheet | | | | | | |
|-------------------------------------|-------------------------------|--------|--------------------|--------|-------------------------|------------|
| Project/ Sample No. | M68503-000 | | Grid Box # | 8638 | No. of Grids Counted | 2 |
| Analyst: | Mehrdad Motamedi | | | Length | Width | G. O. Area |
| Date of Analysis | 10/30/2018 | | G. O. in microns = | 105 | 105 | 11025 |
| Initial Weight(g) | 0 | | | 105 | 105 | 11025 |
| Analysis Type | Post Separation Talc Analysis | | Grid Acceptance | Yes | Average | 11025 |
| Scope No. | Accelerating Voltage | 100 KV | Loading% | 1% | G.O.s Counted | 100 |
| 4 | Screen Magnification | 20 KX | Area Examined mm² | | | 1.103 |

| Str. # | Grid Opening | Structure | Asbestos Type | Length | Width | Ratio | SAED | EDS |
|--------|--------------|-----------|------------------|--------|-------|-------|------|-----|
| NSD | B4-I1 | | | | | | | |
| NSD | I2 | | | | | | | |
| NSD | I3 | | | | | | | |
| NSD | I4 | | | | | | | |
| NSD | I5 | | | | | | | |
| NSD | I6 | | | | | | | |
| NSD | I7 | | | | | | | |
| NSD | I8 | | | | | | | |
| NSD | I9 | | | | | | | |
| NSD | I10 | | | | | | | |
| NSD | H1 | | | | | | | |
| NSD | H2 | | | | | | | |
| NSD | H3 | | | | | | | |
| NSD | H4 | | | | | | | |
| NSD | H5 | | | | | | | |
| NSD | H6 | | | | | | | |
| NSD | H7 | | | | | | | |
| NSD | H8 | | | | | | | |
| NSD | H9 | | | | | | | |
| NSD | H10 | | | | | | | |
| NSD | G1 | | | | | | | |
| NSD | G2 | | | | | | | |
| NSD | G3 | | | | | | | |
| NSD | G4 | | | | | | | |
| NSD | G5 | | | | | | | |
| NSD | G6 | | | | | | | |
| NSD | G7 | | | | | | | |
| NSD | G8 | | | | | | | |
| NSD | G9 | | | | | | | |
| NSD | G10 | | | | | | | |
| NSD | F1 | | | | | | | |
| NSD | F2 | | | | | | | |
| NSD | F3 | | | | | | | |
| NSD | F4 | | | | | | | |
| NSD | F5 | | | | | | | |
| NSD | F6 | | | | | | | |
| NSD | F7 | | | | | | | |
| NSD | F8 | | | | | | | |
| NSD | F9 | | | | | | | |
| NSD | F10 | | | | | | | |
| NSD | E1 | | | | | | | |
| NSD | E2 | | | | | | | |
| NSD | E3 | | | | | | | |
| NSD | E4 | | | | | | | |
| NSD | E5 | | | | | | | |
| NSD | E6 | | | | | | | |
| NSD | E7 | | | | | | | |
| NSD | E8 | | | | | | | |
| NSD | E9 | | | | | | | |
| NSD | E10 | | | | | | | |

| TEM Bulk Talc Structure Count Sheet | | | | | | |
|-------------------------------------|-------------------------------|--------|--------------------|--------|-------------------------|------------|
| Project/ Sample No. | M68503-000 | | Grid Box # | 8638 | No. of Grids Counted | 2 |
| Analyst: | Mehrdad Motamedi | | | Length | Width | G. O. Area |
| Date of Analysis | 10/30/2018 | | G. O. in microns = | 105 | 105 | 11025 |
| Initial Weight(g) | 0 | | | 105 | 105 | 11025 |
| Analysis Type | Post Separation Talc Analysis | | Grid Acceptance | Yes | Average | 11025 |
| Scope No. | Accelerating Voltage | 100 KV | Loading% | 1% | G.O.s Counted | 100 |
| 4 | Screen Magnification | 20 KX | Area Examined mm² | | | 1.103 |

| Str. # | Grid Opening | Structure | Asbestos Type | Length | Width | Ratio | SAED | EDS |
|--------|--------------|-----------|------------------|--------|-------|-------|------|-----|
| NSD | B5-C1 | | | | | | | |
| NSD | C2 | | | | | | | |
| NSD | C3 | | | | | | | |
| NSD | C4 | | | | | | | |
| NSD | C5 | | | | | | | |
| NSD | C6 | | | | | | | |
| NSD | C7 | | | | | | | |
| NSD | C8 | | | | | | | |
| NSD | C9 | | | | | | | |
| NSD | C10 | | | | | | | |
| NSD | D1 | | | | | | | |
| NSD | D2 | | | | | | | |
| NSD | D3 | | | | | | | |
| NSD | D4 | | | | | | | |
| NSD | D5 | | | | | | | |
| NSD | D6 | | | | | | | |
| NSD | D7 | | | | | | | |
| NSD | D8 | | | | | | | |
| NSD | D9 | | | | | | | |
| NSD | D10 | | | | | | | |
| NSD | E1 | | | | | | | |
| NSD | E2 | | | | | | | |
| NSD | E3 | | | | | | | |
| NSD | E4 | | | | | | | |
| NSD | E5 | | | | | | | |
| NSD | E6 | | | | | | | |
| NSD | E7 | | | | | | | |
| NSD | E8 | | | | | | | |
| NSD | E9 | | | | | | | |
| NSD | E10 | | | | | | | |
| NSD | F1 | | | | | | | |
| NSD | F2 | | | | | | | |
| NSD | F3 | | | | | | | |
| NSD | F4 | | | | | | | |
| NSD | F5 | | | | | | | |
| NSD | F6 | | | | | | | |
| NSD | F7 | | | | | | | |
| NSD | F8 | | | | | | | |
| NSD | F9 | | | | | | | |
| NSD | F10 | | | | | | | |
| NSD | G1 | | | | | | | |
| NSD | G2 | | | | | | | |
| NSD | G3 | | | | | | | |
| NSD | G4 | | | | | | | |
| NSD | G5 | | | | | | | |
| NSD | G6 | | | | | | | |
| NSD | G7 | | | | | | | |
| NSD | G8 | | | | | | | |
| NSD | G9 | | | | | | | |
| NSD | G10 | | | | | | | |

| TEM Bulk Talc Structure Count Sheet | | | | | | |
|-------------------------------------|-------------------------------|--------|--------------------|--------|-------------------------|------------|
| Project/ Sample No. | M68503-000 | | Grid Box # | 8638 | No. of Grids Counted | 2 |
| Analyst: | Mehrdad Motamedi | | | Length | Width | G. O. Area |
| Date of Analysis | 10/30/2018 | | G. O. in microns = | 105 | 105 | 11025 |
| Initial Weight(g) | 0 | | | 105 | 105 | 11025 |
| Analysis Type | Post Separation Talc Analysis | | Grid Acceptance | Yes | Average | 11025 |
| Scope No. | Accelerating Voltage | 100 KV | Loading% | 1% | G.O.s Counted | 100 |
| 4 | Screen Magnification | 20 KX | Area Examined mm² | | | 1.103 |

| Str. # | Grid Opening | Structure | Asbestos Type | Length | Width | Ratio | SAED | EDS |
|--------|--------------|-----------|------------------|--------|-------|-------|------|-----|
|--------|--------------|-----------|------------------|--------|-------|-------|------|-----|

Org. Sample
Wt. Sample Wt.
Post HL
Separation

| | | |
|--|---------|-----|
| 0.00000 | 0.00000 | g |
| Percent of Orig. Post Separation | #DIV/0! | (%) |

Wt. Of
Sample
Analyzed 0.00000000 g
Filter size 201.1 mm²
Number of
Structures
Counted 0 Str.
Structures
per Gram of
Sample #DIV/0! Str./g

Detection
Limit #DIV/0! Str./g
Analytical
Sensitivity #DIV/0! Str./g

| TEM Bulk Talc Structure Count Sheet | | | | | | |
|-------------------------------------|-------------------------------|--------|-------------------------------|--------|-------------------------|-----------|
| Project/ Sample No. | M68503-000 | | Grid Box # | 8638 | No. of Grids Counted | 2 |
| Analyst: | Mehrdad Motamedi | | | Length | Width | G.O. Area |
| Date of Analysis | 10/30/2018 | | G. O. in microns = | 105 | 105 | 105 |
| Initial Weight(g) | 0.00000 | | | 105 | 105 | 105 |
| Analysis Type | Post Separation Talc Analysis | | Grid Acceptance | Yes | Average | 11025 |
| Scope No. | Accelerating Voltage | 100 KV | Loading% | 1% | G.O.s Counted | 100 |
| 4 | Screen Magnification | 20 KX | Area Examined mm ² | | | 1.103 |

| Str. # | Grid Opening | Str./Asb. Type | Length | Width | Ratio | SAED | EDS |
|--------|--------------|----------------|--------|-------|-------|--------------------------|-----|
| NSD | B4-I1 | | | | | No Fibrous Talc Observed | |
| | | | | | | | |

| TEM Bulk Talc Structure Count Sheet | | | | | | |
|-------------------------------------|-------------------------------|--------|--------------------|--------|-------------------------|------------|
| Project/ Sample No. | M68503-000 | | Grid Box # | 8631 | No. of Grids Counted | 2 |
| Analyst: | Mehrddad Motamedi | | | Length | Width | G. O. Area |
| Date of Analysis | 10/31/2018 | | G. O. in microns = | 105 | 105 | 11025 |
| Initial Weight(g) | 0 | | | 105 | 105 | 11025 |
| Analysis Type | Post Separation Talc Analysis | | Grid Acceptance | Yes | Average | 11025 |
| Scope No. | Accelerating Voltage | 100 KV | Loading% | 1% | G.O.s Counted | 100 |
| 4 | Screen Magnification | 20 KX | Area Examined mm² | | | 1.103 |

| Str. # | Grid Opening | Structure | Asbestos Type | Length | Width | Ratio | SAED | EDS |
|--------|--------------|-----------|------------------|--------|-------|-------|------|-----|
| NSD | D5-C1 | | | | | | | |
| NSD | C2 | | | | | | | |
| NSD | C3 | | | | | | | |
| NSD | C4 | | | | | | | |
| NSD | C5 | | | | | | | |
| NSD | C6 | | | | | | | |
| NSD | C7 | | | | | | | |
| NSD | C8 | | | | | | | |
| NSD | C9 | | | | | | | |
| NSD | C10 | | | | | | | |
| NSD | D1 | | | | | | | |
| NSD | D2 | | | | | | | |
| NSD | D3 | | | | | | | |
| NSD | D4 | | | | | | | |
| NSD | D5 | | | | | | | |
| NSD | D6 | | | | | | | |
| NSD | D7 | | | | | | | |
| NSD | D8 | | | | | | | |
| NSD | D9 | | | | | | | |
| NSD | D10 | | | | | | | |
| NSD | F1 | | | | | | | |
| NSD | F2 | | | | | | | |
| NSD | F3 | | | | | | | |
| NSD | F4 | | | | | | | |
| NSD | F5 | | | | | | | |
| NSD | F6 | | | | | | | |
| NSD | F7 | | | | | | | |
| NSD | F8 | | | | | | | |
| NSD | F9 | | | | | | | |
| NSD | F10 | | | | | | | |
| NSD | H1 | | | | | | | |
| NSD | H2 | | | | | | | |
| NSD | H3 | | | | | | | |
| NSD | H4 | | | | | | | |
| NSD | H5 | | | | | | | |
| NSD | H6 | | | | | | | |
| NSD | H7 | | | | | | | |
| NSD | H8 | | | | | | | |
| NSD | H9 | | | | | | | |
| NSD | H10 | | | | | | | |
| NSD | I1 | | | | | | | |
| NSD | I2 | | | | | | | |
| NSD | I3 | | | | | | | |
| NSD | I4 | | | | | | | |
| NSD | I5 | | | | | | | |
| NSD | I6 | | | | | | | |
| NSD | I7 | | | | | | | |
| NSD | I8 | | | | | | | |
| NSD | I9 | | | | | | | |
| NSD | I10 | | | | | | | |

| TEM Bulk Talc Structure Count Sheet | | | | | | |
|-------------------------------------|-------------------------------|--------|-------------------------------|--------|-------------------------|------------|
| Project/ Sample No. | M68503-000 | | Grid Box # | 8631 | No. of Grids Counted | 2 |
| Analyst: | Mehrddad Motamedi | | | Length | Width | G. O. Area |
| Date of Analysis | 10/31/2018 | | G. O. in microns = | 105 | 105 | 11025 |
| Initial Weight(g) | 0 | | | 105 | 105 | 11025 |
| Analysis Type | Post Separation Talc Analysis | | Grid Acceptance | Yes | Average | 11025 |
| Scope No. | Accelerating Voltage | 100 KV | Loading% | 1% | G.O.s Counted | 100 |
| 4 | Screen Magnification | 20 KX | Area Examined mm ² | | | 1.103 |

| Str. # | Grid Opening | Structure | Asbestos Type | Length | Width | Ratio | SAED | EDS |
|--------|--------------|-----------|------------------|--------|-------|-------|------|-----|
| NSD | E5-A1 | | | | | | | |
| NSD | A2 | | | | | | | |
| NSD | A3 | | | | | | | |
| NSD | A4 | | | | | | | |
| NSD | A5 | | | | | | | |
| NSD | A6 | | | | | | | |
| NSD | A7 | | | | | | | |
| NSD | A8 | | | | | | | |
| NSD | A9 | | | | | | | |
| NSD | A10 | | | | | | | |
| NSD | B1 | | | | | | | |
| NSD | B2 | | | | | | | |
| NSD | B3 | | | | | | | |
| NSD | B4 | | | | | | | |
| NSD | B5 | | | | | | | |
| NSD | B6 | | | | | | | |
| NSD | B7 | | | | | | | |
| NSD | B8 | | | | | | | |
| NSD | B9 | | | | | | | |
| NSD | C1 | | | | | | | |
| NSD | C2 | | | | | | | |
| NSD | C3 | | | | | | | |
| NSD | C4 | | | | | | | |
| NSD | C5 | | | | | | | |
| NSD | C6 | | | | | | | |
| NSD | C7 | | | | | | | |
| NSD | C8 | | | | | | | |
| NSD | C9 | | | | | | | |
| NSD | D1 | | | | | | | |
| NSD | D2 | | | | | | | |
| NSD | D3 | | | | | | | |
| NSD | D4 | | | | | | | |
| NSD | D5 | | | | | | | |
| NSD | D6 | | | | | | | |
| NSD | D7 | | | | | | | |
| NSD | D8 | | | | | | | |
| NSD | D9 | | | | | | | |
| NSD | D10 | | | | | | | |
| NSD | E1 | | | | | | | |
| NSD | E2 | | | | | | | |
| NSD | E3 | | | | | | | |
| NSD | E4 | | | | | | | |
| NSD | E5 | | | | | | | |
| NSD | E6 | | | | | | | |
| NSD | E7 | | | | | | | |
| NSD | E8 | | | | | | | |
| NSD | E9 | | | | | | | |
| NSD | F1 | | | | | | | |
| NSD | F2 | | | | | | | |
| NSD | F3 | | | | | | | |

| TEM Bulk Talc Structure Count Sheet | | | | | | |
|-------------------------------------|-------------------------------|--------|--------------------|--------|-------------------------|------------|
| Project/ Sample No. | M68503-000 | | Grid Box # | 8631 | No. of Grids Counted | 2 |
| Analyst: | Mehrdad Motamedi | | | Length | Width | G. O. Area |
| Date of Analysis | 10/31/2018 | | G. O. in microns = | 105 | 105 | 11025 |
| Initial Weight(g) | 0 | | | 105 | 105 | 11025 |
| Analysis Type | Post Separation Talc Analysis | | Grid Acceptance | Yes | Average | 11025 |
| Scope No. | Accelerating Voltage | 100 KV | Loading% | 1% | G.O.s Counted | 100 |
| 4 | Screen Magnification | 20 KX | Area Examined mm² | | | 1.103 |

| Str. # | Grid Opening | Structure | Asbestos Type | Length | Width | Ratio | SAED | EDS |
|--------|--------------|-----------|------------------|--------|-------|-------|------|-----|
|--------|--------------|-----------|------------------|--------|-------|-------|------|-----|

| | |
|--|-------------------------------------|
| Org. Sample Wt. | Sample Wt. Post HL Separation |
| 0.00000 | 0.00000 |
| Percent of Orig. Post Separation | #DIV/0! |

| | |
|-------------------------------------|------------|
| Wt. Of Sample Analyzed | 0.00000000 |
| Filter size | 201.1 |
| Number of Structures Counted | 0 |
| Structures per Gram of Sample | #DIV/0! |

| | |
|---------------------------|---------|
| Detection Limit | #DIV/0! |
| Analytical Sensitivity | #DIV/0! |

| TEM Bulk Talc Structure Count Sheet | | | | | | |
|-------------------------------------|-------------------------------|--------|-------------------------------|--------|-------------------------|-----------|
| Project/ Sample No. | M68503-000 | | Grid Box # | 8631 | No. of Grids Counted | 2 |
| Analyst: | Mehrdad Motamedi | | | Length | Width | G.O. Area |
| Date of Analysis | 10/31/2018 | | G. O. in microns = | 105 | 105 | 105 |
| Initial Weight(g) | 0.00000 | | | 105 | 105 | 105 |
| Analysis Type | Post Separation Talc Analysis | | Grid Acceptance | Yes | Average | 11025 |
| Scope No. | Accelerating Voltage | 100 KV | Loading% | 1% | G.O.s Counted | 100 |
| 4 | Screen Magnification | 20 KX | Area Examined mm ² | | | 1.103 |

| Str. # | Grid Opening | Str./Asb. Type | Length | Width | Ratio | SAED | EDS |
|--------|--------------|----------------|--------|-------|-------|--------------------------|-----|
| NSD | D5-C1 | | | | | No Fibrous Talc Observed | |
| | | | | | | | |

| TEM Bulk Talc Structure Count Sheet | | | | | | |
|-------------------------------------|-------------------------------|--------|-------------------------------|--------|-------------------------|------------|
| Project/ Sample No. | M68503-000 | | Grid Box # | 8637 | No. of Grids Counted | 2 |
| Analyst: | Jose Carrillo | | | Length | Width | G. O. Area |
| Date of Analysis | 11/5/2018 | | G. O. in microns = | 105 | 105 | 11025 |
| Initial Weight(g) | 0 | | | 105 | 105 | 11025 |
| Analysis Type | Post Separation Talc Analysis | | Grid Acceptance | Yes | Average | 11025 |
| Scope No. | Accelerating Voltage | 100 KV | Loading% | 1% | G.O.s Counted | 100 |
| 1 | Screen Magnification | 20 KX | Area Examined mm ² | | | 1.103 |

| Str. # | Grid Opening | Structure | Asbestos Type | Length | Width | Ratio | SAED | EDS |
|--------|--------------|-----------|------------------|--------|-------|-------|------|-----|
| NSD | A5-A1 | | | | | | | |
| NSD | A2 | | | | | | | |
| NSD | A3 | | | | | | | |
| NSD | A4 | | | | | | | |
| NSD | A5 | | | | | | | |
| NSD | A6 | | | | | | | |
| NSD | A7 | | | | | | | |
| NSD | A8 | | | | | | | |
| NSD | A9 | | | | | | | |
| NSD | A10 | | | | | | | |
| NSD | B1 | | | | | | | |
| NSD | B2 | | | | | | | |
| NSD | B3 | | | | | | | |
| NSD | B4 | | | | | | | |
| NSD | B5 | | | | | | | |
| NSD | B6 | | | | | | | |
| NSD | B7 | | | | | | | |
| NSD | B8 | | | | | | | |
| NSD | B9 | | | | | | | |
| NSD | B10 | | | | | | | |
| NSD | C1 | | | | | | | |
| NSD | C2 | | | | | | | |
| NSD | C3 | | | | | | | |
| NSD | C4 | | | | | | | |
| NSD | C5 | | | | | | | |
| NSD | C6 | | | | | | | |
| NSD | C7 | | | | | | | |
| NSD | C8 | | | | | | | |
| NSD | C9 | | | | | | | |
| NSD | C10 | | | | | | | |
| NSD | D1 | | | | | | | |
| NSD | D2 | | | | | | | |
| NSD | D3 | | | | | | | |
| NSD | D4 | | | | | | | |
| NSD | D5 | | | | | | | |
| NSD | D6 | | | | | | | |
| NSD | D7 | | | | | | | |
| NSD | D8 | | | | | | | |
| NSD | D9 | | | | | | | |
| NSD | D10 | | | | | | | |
| NSD | E1 | | | | | | | |
| NSD | E2 | | | | | | | |
| NSD | E3 | | | | | | | |
| NSD | E4 | | | | | | | |
| NSD | E5 | | | | | | | |
| NSD | E6 | | | | | | | |
| NSD | E7 | | | | | | | |
| NSD | E8 | | | | | | | |
| NSD | E9 | | | | | | | |
| NSD | E10 | | | | | | | |

| TEM Bulk Talc Structure Count Sheet | | | | | | |
|-------------------------------------|-------------------------------|--------|--------------------|--------|-------------------------|------------|
| Project/ Sample No. | M68503-000 | | Grid Box # | 8637 | No. of Grids Counted | 2 |
| Analyst: | Jose Carrillo | | | Length | Width | G. O. Area |
| Date of Analysis | 11/5/2018 | | G. O. in microns = | 105 | 105 | 11025 |
| Initial Weight(g) | 0 | | | 105 | 105 | 11025 |
| Analysis Type | Post Separation Talc Analysis | | Grid Acceptance | Yes | Average | 11025 |
| Scope No. | Accelerating Voltage | 100 KV | Loading% | 1% | G.O.s Counted | 100 |
| 1 | Screen Magnification | 20 KX | Area Examined mm² | | | 1.103 |

| Str. # | Grid Opening | Structure | Asbestos Type | Length | Width | Ratio | SAED | EDS |
|--------|--------------|-----------|------------------|--------|-------|-------|------|-----|
| NSD | B5-D1 | | | | | | | |
| NSD | D2 | | | | | | | |
| NSD | D3 | | | | | | | |
| NSD | D4 | | | | | | | |
| NSD | D5 | | | | | | | |
| NSD | D6 | | | | | | | |
| NSD | D7 | | | | | | | |
| NSD | D8 | | | | | | | |
| NSD | D9 | | | | | | | |
| NSD | D10 | | | | | | | |
| NSD | E1 | | | | | | | |
| NSD | E2 | | | | | | | |
| NSD | E3 | | | | | | | |
| NSD | E4 | | | | | | | |
| NSD | E5 | | | | | | | |
| NSD | E6 | | | | | | | |
| NSD | E7 | | | | | | | |
| NSD | E8 | | | | | | | |
| NSD | E9 | | | | | | | |
| NSD | E10 | | | | | | | |
| NSD | F1 | | | | | | | |
| NSD | F2 | | | | | | | |
| NSD | F3 | | | | | | | |
| NSD | F4 | | | | | | | |
| NSD | F5 | | | | | | | |
| NSD | F6 | | | | | | | |
| NSD | F7 | | | | | | | |
| NSD | F8 | | | | | | | |
| NSD | F9 | | | | | | | |
| NSD | F10 | | | | | | | |
| NSD | G1 | | | | | | | |
| NSD | G2 | | | | | | | |
| NSD | G3 | | | | | | | |
| NSD | G4 | | | | | | | |
| NSD | G5 | | | | | | | |
| NSD | G6 | | | | | | | |
| NSD | G7 | | | | | | | |
| NSD | G8 | | | | | | | |
| NSD | G9 | | | | | | | |
| NSD | G10 | | | | | | | |
| NSD | H1 | | | | | | | |
| NSD | H2 | | | | | | | |
| NSD | H3 | | | | | | | |
| NSD | H4 | | | | | | | |
| NSD | H5 | | | | | | | |
| NSD | H6 | | | | | | | |
| NSD | H7 | | | | | | | |
| NSD | H8 | | | | | | | |
| NSD | H9 | | | | | | | |
| NSD | H10 | | | | | | | |

| TEM Bulk Talc Structure Count Sheet | | | | | | |
|-------------------------------------|-------------------------------|--------|--------------------|--------|-------------------------|------------|
| Project/ Sample No. | M68503-000 | | Grid Box # | 8637 | No. of Grids Counted | 2 |
| Analyst: | Jose Carrillo | | | Length | Width | G. O. Area |
| Date of Analysis | 11/5/2018 | | G. O. in microns = | 105 | 105 | 11025 |
| Initial Weight(g) | 0 | | | 105 | 105 | 11025 |
| Analysis Type | Post Separation Talc Analysis | | Grid Acceptance | Yes | Average | 11025 |
| Scope No. | Accelerating Voltage | 100 KV | Loading% | 1% | G.O.s Counted | 100 |
| 1 | Screen Magnification | 20 KX | Area Examined mm² | | | 1.103 |

| Str. # | Grid Opening | Structure | Asbestos Type | Length | Width | Ratio | SAED | EDS |
|--------|--------------|-----------|------------------|--------|-------|-------|------|-----|
|--------|--------------|-----------|------------------|--------|-------|-------|------|-----|

| | |
|--|-------------------------------------|
| Org. Sample Wt. | Sample Wt. Post HL Separation |
| 0.00000 | 0.00000 g |
| Percent of Orig. Post Separation | #DIV/0! (%) |

| | |
|-------------------------------------|-----------------------|
| Wt. Of Sample Analyzed | 0.00000000 g |
| Filter size | 201.1 mm ² |
| Number of Structures Counted | 0 Str. |
| Structures per Gram of Sample | #DIV/0! Str./g |

| | |
|---------------------------|----------------|
| Detection Limit | #DIV/0! Str./g |
| Analytical Sensitivity | #DIV/0! Str./g |

| TEM Bulk Talc Structure Count Sheet | | | | | | |
|-------------------------------------|-------------------------------|--------|-------------------------------|--------|-------------------------|-----------|
| Project/ Sample No. | M68503-000 | | Grid Box # | 8637 | No. of Grids Counted | 2 |
| Analyst: | Jose Carrillo | | | Length | Width | G.O. Area |
| Date of Analysis | 11/5/2018 | | G. O. in microns = | 105 | 105 | 105 |
| Initial Weight(g) | 0.00000 | | | 105 | 105 | 105 |
| Analysis Type | Post Separation Talc Analysis | | Grid Acceptance | Yes | Average | 11025 |
| Scope No. | Accelerating Voltage | 100 KV | Loading% | 1% | G.O.s Counted | 100 |
| 1 | Screen Magnification | 20 KX | Area Examined mm ² | | | 1.103 |

| Str. # | Grid Opening | Str./Asb. Type | Length | Width | Ratio | SAED | EDS |
|--------|--------------|----------------|--------|-------|-------|--------------------------|-----|
| NSD | A5-A4 | | | | | No Fibrous Talc Observed | |
| | | | | | | | |